




iLam

ENGINEERED HARDWOOD COMPONENTS



EUROPEAN OAK ILAM

An engineered European Oak product, with two high quality clear faces (middle layers may be finger jointed), offering greater dimensional stability. Finger jointed sections are available on request, in longer lengths.

Raw material:	European Oak FSC®		
Lengths:	30% 0.8m to 1.0m 70% 2.0m and longer		
Construction:	Lamells are pressed and glued together using D4 Glue. The moisture content of the timber is 12% +/- 2%.		
Uses:	Doors, windows, joinery, stair components		
Sizes:	48 x 95	63 x 95	72 x 120
Available	48 x 120	63 x 120	72 x 200
ex-stock	48 x 200	63 x 200	96 x 63
	63 x 63	72 x 75	96 x 75
	63 x 75	72 x 95	96 x 96
			Bespoke sizes are available on request.

Available to order, European Oak 2 pc colour match newels 90 x 90, Lengths 1.5m – 3.6m
Edge glued (3pc maximum).

DARK RED MERANTI ILAM

An engineered product, with two high quality clear faces (middle layers may be finger jointed), offering greater dimensional stability. Finger jointed sections are available on request.

Raw material:	100% PEFC Laminated Meranti.		
Lengths:	As per your request, subject to confirmation.		
Construction:	Lamellas are pressed and glued together using D4 glue. The moisture content of the timber is 12% +/- 2%.		
Uses:	Doors, windows and joinery.		
Sizes (mm):	48 x 95	63 x 95	72 x 120
Available	48 x 120	63 x 120	72 x 200
ex-stock	48 x 200	63 x 200	96 x 63
	63 x 63	72 x 75	96 x 75
	63 x 75	72 x 95	96 x 96
			Bespoke sizes are available on request.

SAPELE ILAM

An engineered product, with two high quality clear faces (middle layers may be finger jointed), offering greater dimensional stability. Finger jointed sections are available on request.



Raw material:	FSC 100% Sapele. Third Party Verified Legal Sapele.
Lengths:	0.9m to 1.2m and multiples. 2.1m to 3.0m Up to 5.9m lengths are available in Finger Jointed material.
Construction:	Lamells are pressed and glued together using D4 Glue. The moisture content of the timber is 12% +/- 2%.

Uses:	Doors, windows and joinery			
Sizes (mm):	48 x 95	63 x 95	72 x 120	Bespoke sizes are available on request.
Available ex-stock	48 x 120	63 x 120	72 x 200	
	48 x 200	63 x 200	96 x 63	
	63 x 63	72 x 75	96 x 75	
	63 x 75	72 x 95	96 x 96	

The benefits of iLam:

- Reduced waste
- Defect free
- Known cost
- Dimensional stability
- Moulder ready
- Peace of mind
- Straight
- Two clear faces





For further details, prices or samples please contact LDT



LDT
5B The Old Yard
Rectory Lane
Brasted
Westerham TN16 1JP
www.directtimber.co.uk

